

- A. NO ROOF PENETRATIONS PERMITTED WITHIN ROOF WATER PLY. REFER TO ROOF PLAN FOR LOCATIONS.
- B. REFER TO RISER DIAGRAM ON SHEET P601.00 FOR ALL WASTE AND VENT SIZES.
- C. SEE ARCHITECTURAL PLANS FOR DOWNSPOUT LOCATIONS

WASTE & VENT PLAN NOTES NTS 3


- 1 UNDERGROUND SANITARY PIPE SHALL BE NO HUB CAST IRON PIPE FOR THE FIRST 10 FEET FROM CONNECTION TO FLOOR SINK, OUTWARD.
- 2 PROVIDE CONDENSATE LINE AND DRAIN LINE FROM ICE MACHINE TO FS. PROVIDE AIR GAP PER LOCAL CODE.
- 3 PROVIDE WASTE LINES FROM BEVERAGE UNIT TO FS. PROVIDE AIR GAP PER LOCAL CODE
- 4 PROVIDE 3/4" COPPER CONDENSATE FROM DRAIN PROVIDED BY VENDOR TO OUTFALL AT FLOOR SINK/FLOOR DRAIN (HEAT ROPE IS SUPPLIED WITH FREEZER CONDENSATE). CONCEAL CONDENSATE PIPE IN WALL.
- 5 NOT USED
- 6 ENTIRE RUN OF DRAIN LINES TO INLET OF INTERIOR GREASE INTERCEPTOR AND OUTBOUND FROM INTERCEPTOR TO CONNECTION AT SANITARY MAIN

- 7 SHALL BE CAST IRON PIPE OR AS REQUIRED BY AUTHORITY HAVING JURISDICTION.
- 8 ROUTE INDIRECT WASTE FROM WH-1 TO HD-1. REFERENCE DETAIL 2/P501.00 AND DETAIL 4/P2.0.
- 9 4" VENT UP THROUGH ROOF.
- 10 PIPE 3-COMPARTMENT SINK TO FLOOR SINK WITH AIR GAP PER CODE.
- 11 REDUCED PRESSURE BACKFLOW PREVENTER LOCATED PER LOCAL UTILITY REQUIREMENTS. PIPE RELIEF TO FLOOR SINK.
- 12 NOT USED

WASTE & VENT PIPING PLAN 1/4" = 1'-0" 1

- 13 CONDENSATE DRAIN PIPE DOWN TO MOP SINK. PROVIDE AIR GAP AS REQUIRED BY CODE. IF REQUIRED RUN CONDENSATE PIPING TO EXTERIOR DRYWELL. RETENTION AREA OR STORM SEWER AS DIRECTED BY AUTHORITY HAVING JURISDICTION.
- 14 RUN DRAIN LINE FROM S/S DRINK MACHINE THROUGH WALL OPENING. TO OUTFALL AT FS BENEATH D/T DRINK MACHINE.
- 15 DOWN SPOUT. SEE CIVIL PLANS FOR CONTINUATION.
- 16 ROUTE DRAIN FOR REVERSE OSMOSIS DISCHARGE TO FLOOR SINK. ENSURE PROPER AIR GAP.
- 17 CONTRACTOR TO COORDINATE WITH CIVIL SITE PLAN FOR EXACT LOCATION OF GREASE INTERCEPTOR.

KEYNOTES - WASTE AND VENT NTS 2



I CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF PENNSYLVANIA. LICENSE NO. PE061370. EXPIRATION DATE 09.30.2023

CONTRACT DATE: 9/14/2021  
 BUILDING TYPE: ENDEAVOR 50  
 PLAN VERSION: APRIL 2020  
 BRAND DESIGNER: A. NUNEZ  
 SITE NUMBER: 315554  
 STORE NUMBER: 040376

TACO BELL  
 177 MILLERS RUN RD.  
 BRIDGEVILLE, PA 15071



WASTE AND VENT PLAN  
**P2.0**